



357 SIG

.355"	9mm GDHP	9mm TMJ® FN
Weight (grains)	147	147
Ballistic Coefficient	0.164	0.188
Sectional Density	0.167	0.167
COAL Tested	1.135"	1.135"
Speer Part No.	4002	4006

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Blue Dot	Speer	CCI 500	7.9	1130	8.8	1218
Vihtavuori N105	Speer	CCI 500	8.2	1100	9.0	1207
Accurate No. 9	Speer	CCI 500	11.0	1094	12.0	1204
Hodgdon HS-6	Speer	CCI 500	7.5	1075	8.3	1170
Accurate No. 7	Speer	CCI 500	9.0	1069	10.0	1169
Alliant Power Pistol	Speer	CCI 500	6.7	1065	7.5	1152
Vihtavuori N350	Speer	CCI 500	6.2	1040	6.8	1111
Alliant Unique	Speer	CCI 500	5.8	1008	6.6	1101

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*