



38 Special +P

.357"	38 GDHP	38 JHP	38 TMJ® FN
Weight (grains)	125	125	125
Ballistic Coefficient	0.140	0.129	0.146
Sectional Density	0.140	0.140	0.140
COAL Tested	1.440"	1.455"	1.435"
Speer Part No.	4012	4013	4015

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Vihtavuori 3N37	Speer	CCI 500	6.8	1037	7.2	1098
Alliant Unique	Speer	CCI 500	5.7	980	6.0	1082
Alliant Power Pistol	Speer	CCI 500	6.1	986	6.8	1082
Hodgdon H. Universal	Speer	CCI 500	5.6	976	5.9	1058
Accurate No. 5	Speer	CCI 500	7.5	927	7.8	1030
Alliant Bullseye	Speer	CCI 500	4.5	914	4.8	1021
IMR PB	Speer	CCI 500	4.9	927	5.4	1021
Winchester WSF	Speer	CCI 500	5.3	934	5.8	1021
Accurate No. 2 Improved	Speer	CCI 500	5.4	994	5.7	1014
Hodgdon Hi-Skor 700-X	Speer	CCI 500	4.6	905	4.9	1013
Hodgdon TITEGROUP	Speer	CCI 500	4.4	933	4.9	1012
Alliant American Select	Speer	CCI 500	DNR	—	4.7	931

DNR — do not reduce

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load