



9mm Luger

.355"	9mm TMJ® RN	9mm GDHP
Weight (grains)	124	124
Ballistic Coefficient	0.159	0.134
Sectional Density	0.141	0.141
COAL Tested	1.135"	1.120"
Speer Part No.	3993	3998

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Blue Dot	Speer	CCI 500	7.1	1121	7.9	1238
Alliant BE 86	Federal	Federal 100	5.4	1124	6.0	1199
Accurate No. 9	Speer	CCI 500	9.4	1061	10.5 C	1185
Alliant Unique	Speer	CCI 500	5.2	1080	5.8	1180
Accurate No. 7	Speer	CCI 500	8.1	1077	9.0	1180
Vihtavuori 3N37	Speer	CCI 500	5.7	1063	6.4	1179
Alliant Power Pistol	Speer	CCI 500	5.6	1033	6.4	1157
Winchester AutoComp	Federal	Federal 100	5.1	1075	5.6	1156
Hodgdon CFE Pistol	Federal	Federal 100	4.7	1024	5.3	1127
Hodgdon TITEGROUP	Speer	CCI 500	4.0	1020	4.4	1095
Hodgdon H. Universal	Speer	CCI 500	4.5	993	5.0	1089
Accurate No. 5	Speer	CCI 500	5.7	963	6.4	1069
Hodgdon Hi-Skor 700-X	Speer	CCI 500	3.9	989	4.3	1067
Alliant Sport Pistol	Federal	Federal 100	3.8	984	4.3	1067
Alliant Bullseye	Speer	CCI 500	3.9	966	4.4	1059
Hodgdon HS-6	Speer	CCI 500	6.0	951	6.7	1059
Alliant American Select	Speer	CCI 500	4.5	994	5.0	1053
Winchester 231	Speer	CCI 500	4.0	887	4.5	998

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load