



## 358 Winchester

<b>.358"</b>	<b>35</b>
	<b>SPFN Hot-Cor®</b>
<b>Weight (grains)</b>	220
<b>Ballistic Coefficient</b>	0.286
<b>Sectional Density</b>	0.245
<b>COAL Tested</b>	2.565"
<b>Speer Part No.</b>	2439

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Winchester 748	Winchester	CCI 250	48.0	2348	<b>52.0</b>	2506
Vihtavuori N135	Winchester	CCI 200	44.0	2309	<b>48.0 C</b>	2476
IMR 3031	Winchester	CCI 200	43.0	2232	<b>47.0</b>	2474
Alliant Power Pro Varmint	Hornady	CCI 200	47.0	2342	<b>50.6</b>	2473
Accurate 2520	Winchester	CCI 250	44.0	2287	<b>48.0 C</b>	2455
Hodgdon H322	Winchester	CCI 200	41.0	2070	<b>45.0</b>	2434
Hodgdon H335	Winchester	CCI 250	43.5	2244	<b>47.5</b>	2428
IMR 4064	Winchester	CCI 200	44.0	2280	<b>48.0</b>	2427
IMR 4320	Winchester	CCI 200	43.5	2213	<b>47.5</b>	2393
IMR 8208	Hornady	CCI 200	43.0	2262	<b>46.3</b>	2392
Accurate 2015	Winchester	CCI 200	39.0	2202	<b>43.0</b>	2390
Hodgdon BLC-(2)	Winchester	CCI 250	46.0	2207	<b>50.0 C</b>	2388
IMR 4166	Hornady	CCI 200	42.5	2147	<b>45.8</b>	2285
Hodgdon H380	Winchester	CCI 250	46.0	2002	<b>50.0 C</b>	2231
Alliant Reloder 7	Winchester	CCI 200	34.0	2089	<b>38.0</b>	2209

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*