



## 325 Winchester Short Magnum

<b>.323"</b>	<b>8mm</b>
	<b>Spitzer SP Hot-</b>
	<b>Cor®</b>
<b>Weight (grains)</b>	200
<b>Ballistic Coefficient</b>	0.440
<b>Sectional Density</b>	0.274
<b>COAL Tested</b>	2.840"
<b>Speer Part No.</b>	2285

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Reloder 19	Winchester	Federal 210	65.0	2671	<b>69.0</b>	2837
IMR 4350	Winchester	Federal 210	61.0	2638	<b>65.0</b>	2802
Hodgdon H414	Winchester	Federal 215	60.0	2650	<b>64.0</b>	2791
Ramshot Big Game	Winchester	Federal 215	60.0	2654	<b>64.0</b>	2789
Winchester 760	Winchester	Federal 215	60.0	2614	<b>64.0</b>	2775
Accurate 4350	Winchester	Federal 210	62.0	2602	<b>66.0</b>	2766
Alliant Reloder 15	Winchester	Federal 210	53.0	2592	<b>57.0</b>	2742
Vihtavuori N540	Winchester	Federal 210	54.0	2559	<b>58.0</b>	2729
Alliant Reloder 26	Winchester	Federal 215	67.1	2347	<b>72.0 C</b>	2503
Alliant Reloder 23	Winchester	Federal 215	63.7	2240	<b>70.5 C</b>	2446
Alliant Power Pro 4000-MR	Winchester	Federal 215	61.1	2217	<b>67.8</b>	2442
Alliant Reloder 17	Winchester	Federal 215	59.1	2230	<b>65.4</b>	2435
IMR 4831	Winchester	Federal 215	61.2	2223	<b>67.9 C</b>	2430
Alliant Reloder 16	Winchester	Federal 215	58.8	2240	<b>65.1</b>	2418

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*